Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5	glenn with randle with wilcock	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L3	1	henry with verdugo with valenzuela	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L4	` 3	("5806075" "5822773" "5937415" "6108749" "6119208" "6128699" "6321239" "6351792" "6363385" "6499041" "6611923").pn. and version and copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L5	13	anthony with steve with pearson	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L6	1723	707/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L7	5	(anthony with steve with pearson) and version and copy .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2007/03/01 19:33
			DERWENT; IBM_TDB			
L8	289	IBM with copy and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L9	2	(source near volume) with (copy near version)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L10	41	IBM with copy with version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L11	23	("5806075" "5822773" "5937415" "6108749" "6119208" "6128699" "6321239" "6351792" "6363385" "6499041" "6611923").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/01 19:33
L12	2812	((replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with data) and (source with volumé)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L13	3209	((replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with (data record)) and (source with volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L14	20230	(replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) and (source with volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L15	568	((replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with (data record)) and (source adj volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

				T		1
L16		(pre with (replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with (data record)) and (source adj volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L17	1	"5403639".pn. and cop\$4 and version and replication and record\$4 and management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L18	1	"5403639".pn. and cop\$4 and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L19	1	"5403639".pn. and cop\$4 and version and replication and record\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L20		"5403639".pn. and cop\$4 and version and replication and record\$4 and management and maintain and creat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L21	172	(backup near schedule) and copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L22	1	"5403639".pn. and cop\$4 and version and replication and record\$4 and management and maintain	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L23	105	(backup near schedule) and (cop\$4 duplicat\$ replicat\$4) and record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L24	240	backup near schedule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L25	42	copy near8 versio\$2 and target and replication near5 recor\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L26	12	L25 and target near5 volume	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L27	24	copy near5 recor\$3 and version and replication\$3 near4 record\$3 and current near5 version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L28	1	(backup near schedule) and (cop\$4 duplicat\$ replicat\$4) and record and (creat\$4 with copy with record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L29	180	(backup near schedule) and (cop\$4 duplicat\$ replicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

				·	,	
L30	146	("4627019" "5124987" "5155835" "5193184" "5210866" "5212789" "5239659" "5247647" "5278979" "5287496").PN. OR ("5403639"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L31	2159607	storage technology corporation.xa.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L32	2	"4627019".pn. and cop\$4 and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/03/01 19:33
L33	146	("4627019" "5124987" "5155835" "5193184" "5210866" "5212789" "5239659" "5247647" "5278979" "5287496").PN. OR ("5403639"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L35	1	"4627019".pn. and cop\$4 and version and management and maintain and creat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L37	10	L33 and record and cop\$4 and source and version and target and replicat\$4 and current and volume	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L38	26	L33 and record and cop\$4 and source and version and target	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L39	13	L33 and record and cop\$4 and source and version and target and replicat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L40	9	L33 and record and cop\$4 and source and version and target and replicat\$4 and current and volume and creat\$4 and maintain	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L41	40	L33 and record and cop\$4 and source and version	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L42	13	((record near (cop\$4 duplicat\$4 replicat\$4)) with current) with (source target)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33

				, 		,
L43	6143	record near (cop\$4 duplicat\$4 replicat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L44	202	(record near (cop\$4 duplicat\$4 replicat\$4)) with current	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/01 19:33
L45	13	(hung with pham) and backup	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L46	239	(707/203-204.ccls.) and backup with version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L47	684	(707/203-204.ccls.) and backup and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L48	3258	707/203-204.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L50	6	(707/203-204.ccls.) and backup with (version with increa\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L52	· 2	"6981114".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L53	2	"20050193038"	US-PGPUB; USPAT;	OR	ON	2007/03/01 19:33
			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L54	2	"6898688".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L55	20	manag\$4 with multiple with cop\$4 with version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L57		pre\$1pairing and (source near volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L58	20	(data near copy) with (copy near version)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/01 19:33
L59	450	((back\$1up target) near3 volume) with (source near3 volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L60	3	((back\$1up target) near3 volume) with (source near3 volume) with (copy with pair\$4) with select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L61	57	((back\$1up target) near3 volume) with (source near3 volume) with (copy with pair\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/01 19:33
L62	198	((back\$1up target) near3 volume) with (source near3 volume) with copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L63	832	((record data file) same ((restor\$4 near4 (data information))) with (version copy)) and back\$1up	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L64	1300	(record data file) same ((restor\$4 near4 (data information))) with (version copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L65	42	(((record data file) same ((restor\$4 near4 (data information))) with (version copy)) and back\$1up) and (copy near version)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L66	2	(track\$4 near2 version) same (back\$1up and restor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L67	1153	(source target) near pool	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L68	79	((source target) near plurality) with	US-PGPUB;	OR	ON	2007/03/01 19:33
LOO		version version	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	, or	ON	2007/03/01 15.55
L69	7	((source target) near pool) with version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L70	9	((source target) near plurality) with version and (back\$1up and restor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L72	20	(((record data file) same ((restor\$4 near4 (data information))) with (version copy)) and back\$1up) and (copy near version) and (recent near2 version) and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L73		(((record data file) same ((restor\$4 near4 (data information))) with (version copy)) and back\$1up) and (copy near version) and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L74	45725	server and (back\$1up restor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L77	8	((server and (back\$1up restor\$4)) with (versio\$4)) and pair\$4 and (replication with (record log histor\$4)) and copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/03/01 19:33

	·		т			
L78	23	(ibm near back\$1up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L79	151	((server and (back\$1up restor\$4)) with (versio\$4)) and pair\$4 and record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L80	128	((server and (back\$1up restor\$4)) with (versio\$4)) and pair\$4 and record and copy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L81	13437	replicat\$4.with (script\$4 plan\$4 procedur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L82	63	replicat\$4 with (script\$4 plan\$4 procedur\$4) with (log version)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L83	34466	multiple near (cop\$4 replicat\$4 duplicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L84	612	(multiple near (cop\$4 replicat\$4 duplicat\$4)) with (record log version)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L85		(multiple near (cop\$4 replicat\$4 duplicat\$4)) near (record log version) and (source target) with volume	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L86	142	(multiple near (cop\$4 replicat\$4 duplicat\$4)) near (record log version)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L87	4	(multiple near (cop\$4 replicat\$4 duplicat\$4)) near (record log version) and ((source target) with volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L88	2	(multiple near (cop\$4 replicat\$4 duplicat\$4)) near (record log version) with ((source target) with volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L89	9	(multiple near (cop\$4 replicat\$4 duplicat\$4 back\$1up)) near (record log version) and (source target) with volume	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L90	2	(multiple near (cop\$4 replicat\$4 duplicat\$4)) near (record log version) with ((source target) and volume)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L91	4	(replicat\$5 near2 schedule) and ((pair match) near2 (device storage drive database system)) and record and log	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L92	115	replicat\$5 near2 schedule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L93	6	(replicat\$5 near2 schedule) and ((pair match) near2 (device storage drive database system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L94	4	("5781910" "6212557" "59917680"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L95	2	"20010029502"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L96	2	"20030208511"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L97	3	"20040158588"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L98	27	(replicat\$5 near2 schedul\$4) and ((pair match) near2 (device storage drive database system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L99	27	(replicat\$5 near2 schedul\$4) and ((pair\$4 match) near2 (device storage drive database system)) and schedul\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/03/01 19:33
L100	17	(Lee with Wook) and replicat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L101	27	(replicat\$5 near2 schedul\$4) and ((pair\$4 match) near2 (device storage drive database system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L102	871	Lee with Wook	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L103		Huess with David	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L104	1	Sutela with Jesse	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L105	1	Graceffa with Mark	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L106	27	(replicat\$5 near2 schedul\$4) and ((pair\$4 match) near2 (device storage drive database system)) and (record\$4 report\$4 confirm\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L113	3	(replicat\$5 near2 schedule) and ((pair match) near2 (device storage drive database system)) and replicat\$4 and cop\$4 and pair\$4 and record\$4 and source and target and version and remov\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L114	3	(replicat\$5 near2 schedule) and ((pair match) near2 (device storage drive database system)) and replicat\$4 and cop\$4 and pair\$4 and record\$4 and source and target and version	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L115	3	(replicat\$5 near2 schedule) and ((pair match) near2 (device storage drive database system)) and replicat\$4 and cop\$4 and pair\$4 and record\$4 and source and target	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L116	1	((back\$1up target) near3 volume) with (source near3 volume) with (copy with pair\$4) with (dismount\$3 break\$3 disconnect\$3 remove\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/01 19:33
L117	31	((back\$1up target) near3 volume) with (source near3 volume) with (copy with pair\$4) and (dismount\$3 break\$3 disconnect\$3 remove\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L118	61	((replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with data) and (source with volume) with (copy with pair\$4) and (dismount\$3 break\$3 disconnect\$3 remove\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

L119	6	((replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with data) and (source with volume) with (copy with pair\$4) and (dismount\$3 break\$3 disconnect\$3 remove\$4) and (record with (history log new old current compar\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L120	6	((replicat\$4 cop\$4 reproduct\$4 duplicat\$4 backup) with data) and ((target source) with volume) with (copy with pair\$4) and (dismount\$3 break\$3 disconnect\$3 remove\$4) and (record with (history log new old current compar\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L121	2	"20050068576"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L122	2	"20050102280"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L123	2	"20050198060"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L124	2	"20060047663"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L125	2	"20050165806"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

<u> </u>						
L126	2	"20050184857"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L127	2	"20050285716" ~	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L128		"20060129446"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L129	2	"20060129590"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L130	2	"20060074921"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L131	2	"20060129446"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33
L132	2	"20060155740"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/01 19:33

3/1/2007 7:54:04 PM C:\Documents and Settings\bho\My Documents\EAST\Workspaces\10790609.wsp

L133	2	"20060167920"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2007/03/01 19:33
			DERWENT; IBM_TDB			

3/1/2007 7:54:04 PM C:\Documents and Settings\bho\My Documents\EAST\Workspaces\10790609.wsp